



▶▶▶ **HEAT TRANSFER INSTRUCTIONS**

**Instructions for Printing onto Hard Surfaces with FOREVER Multi-Trans**

▶▶▶ **PRINT SETTINGS**

**COLOR COPIER**

**Paper Mode:** See list on reverse side  
**Image Mode:** Mirror image  
**Feeding:** Bypass (manual feeding)

**LASER PRINTER**

**Paper Mode:** See list on reverse side  
**Image Mode:** Mirror image  
**Feeding:** Bypass (manual feeding)

▶▶▶ **TRANSFER SETTINGS**

SURFACE	AUTOMATIC HEAT PRESS	PREHEATING	OPENING AT	PEELING	FIXING
ALUMINIUM	4-5 bar (55-70 PSI)		120° C (250° F)	Warm or cold	60 seconds
ADHESIVE FILM	4-5 bar (55-70 PSI)		130° C (265° F)	Let cool down for 5-10 sec.	
CHROMOLUX BINDER	3-4 bar (40-60 PSI)	5 seconds	100-110° C (210/230° F)	Warm or cold	
WOOD	3 bar (40 PSI)	20 seconds	100° C (210° F)	Immediately	30 seconds
CERAMIC TILE	4-5 bar (55-70 PSI)		130° C (265° F)	Warm or cold	60 seconds
MAGNETIC VINYL	4-5 bar (55-70 PSI)		110-120° C (230/250° F)	Warm or cold	60 seconds
ACRYLIC GLASS	4-5 bar (55-70 PSI)		100-105° C (210/220° F)	Let cool down for 5-10 sec.	
MIRROR	4-5 bar (55-70 PSI)		145° C (265° F)	Warm or cold	
MOUSE PAD	4-5 bar (55-70 PSI)		110° C (230° F)	Warm or cold	
PLACE MAT	4-5 bar (55-70 PSI)		110° C (230° F)	Warm or cold	60 seconds






▶▶▶ **TRANSFER APPLICATION**












- ▶ Set the temperature of the transfer press to 200° C (390° F).
- ▶ Place the substrate on the lower plate.
- ▶ Place **FOREVER Multi-Trans** copy on the substrate and cover both with the **silicone pad universal**.
- ▶ Place the sensor of the **digital thermometer** between the copy and the substrate.  
(Relevant is the temperature on the surface of the substrate which is shown through the digital thermometer. The printing time depends on the size (mass) of the substrate.)
- ▶ Open the transfer press when the above mentioned temperature is achieved and peel off the transfer paper as indicated above.
- ▶ If advised fix the toner with additional heat application at 2 bar using the **wooden frame**.

▶ **ANY PROBLEMS?** Visit our website [www.forever-ots.com](http://www.forever-ots.com)  
Click Video, choose the transfer paper, transfer machine, the product and watch the specific application!



**PRINTER COMPATIBILITY LIST  
FOREVER Multi-Trans**

BRAND	MODEL	PRINTER SETTINGS	
<b>CANON</b>	all CLC 	HEAVY PAPER	
	CP 660 	UNSUITABLE	
	IRC 2880	HEAVY PAPER 1	
	C1	HEAVY PAPER 2	
<b>DEVELOP</b>	QC 2235+	CARTON 1	
	QC 3101	CARTON 1	
	ineo 450+	CARTON 1	
	ineo 250+	CARTON 1	
<b>EPSON</b>	Laser C 8500	UNSUITABLE	
	Laser C 8600	UNSUITABLE	
	Aculaser C 1100	UNSUITABLE	
	Aculaser C1900S	LABEL	
<b>HP</b>	1500 L	HEAVY PAPER	
	2500 L	HEAVY PAPER	
	2550 L	TOUGH PAPER	
	3500 N	CARTON	
	4550	HEAVY PAPER	
	3550	CARTON	
	2600 N	UNSUITABLE	
	3600	CARTON	
<b>KYOCERA</b>	FS-C5020N	SPECIAL/HEAVY PAPER 1	
	KM-C2520	SPECIAL/HEAVY PAPER 1	
	KM-C2525E	SPECIAL/HEAVY PAPER 1	
	KM-C3225	SPECIAL/HEAVY PAPER 1	
	KM-C3232E	SPECIAL/HEAVY PAPER 1	
	KM-C4035E	SPECIAL/HEAVY PAPER 1	
<b>LEXMARK</b>	C912	HEAVY PAPER	
<b>MINOLTA</b>	MagiColor 2 	TRANSPARENCY FOIL	
	Bizhub C250/252	CARTON 1	
	Bizhub C350/351	CARTON 1	
	Bizhub C450/451	CARTON 1	
	Bizhub ProC500	UNSUITABLE	
	CF 2002	CARTON 1	
	CF 3102	CARTON 1 or 2	
	QMS 2200 	THICK PAPER	
	QMS 2300 DL	THICK STOCK	
	QMS 2350	THICK STOCK	
	MC 2400 W	LABEL	
	QMS 6100 DL 	HEAVY PAPER	
	Bizhub C253	CARTON 1	
	Bizhub C203	CARTON 1	
	Bizhub C353	CARTON 1	
	<b>SHARP</b>	MX2300N	HEAVY PAPER

BRAND	MODEL	PRINTER SETTINGS	
<b>NASHUATEC</b>	DSC 328 	TRANSPARENCY FOIL	
	MPC2000	THICK PAPER 1	
	MPC2500AD	THICK PAPER 1	
	MPC2500e	THICK PAPER 1	
	SPC 420DN	THICK 1	
	<b>OKI</b>	C 3100/3200	LABEL
		C 3100/3200	GLOSSY
C 5200/5500		LABEL	
C 5600-5900		LABEL 2	
8600-8800		LABEL 2	
C 5200/5400		LABEL	
C 5700		GLOSSY	
<b>OKI</b>	C 9300/9500	LABEL	
	C 9600	LABEL	
	C 9800	LABEL	
	<b>RICOH</b>	Aficio AP3800C	LABEL
		Aficio 2228C 	TRANSPARENCY FOIL
		Aficio C 811	HEAT RESISTANT FOLIE
		Aficio CS510E	THICK PAPER 3
Aficio DSC428		THICK PAPER	
AficioCL4000DN		HEAT RESISTANT FOLIE	
<b>TALLY</b>		8004/81004 	LABEL
	8008	LABEL	
	8204 	TRANSPARENCY FOIL	
	8006e 	HEAVY PAPER	
<b>TOSHIBA</b>	eStudio 211c 	THICK 2	
	eStudio 311c 	THICK 2	
	eStudio2500c	THICK 2	
	eStudio3500c	THICK 2	
	eStudio3510c	THICK 2	
<b>UTAX</b>	CDC1526D	HEAVY PAPER	
<b>XANTE</b>	600 	HEAVY PAPER	
	1200 PRO 	HEAVY PAPER	
	ILUMINA	LABEL	
<b>XEROX</b>	DC 12 	HEAVY PAPER	
	DC 3535	THIN PAPER	
	Workcenter 3535	LABEL	
	DC 50 	HEAVY PAPER	
	M 24	THIN PAPER	
	Phaser 7750	THIN PAPER	
	DC 240/250	HEAVY PAPER 1	
	Phaser 7400	THIN PAPER	
	DC 1250	THICK PAPER	

