The First Cross Cutting Guide Rail For Track Saws

Simple / Safe / Precise



KAPPTUL

A Simple Solution For A Perfect Cut



The KAPPTUL guide rail is a combination of a standardized guide rail for plunge saws in combination with a precise 90° angle stop.



Application

your plunge track saw becomes a mitre saw

Cutting Boards



Place the guide rail



Align your saw with the rail



... and cut the piece!

Cutting wood construction tenons



Cut the depth



Chisel out



Application

double cut for thicker dimensions


Cutting boards and beams up to 100mm thickness







Do a first cut



Turn the wood piece







Compatibility

which saw fits to the KAPPTUL guide rail?



BOSCH Bosch GKT 55 GCE Bosch GKT 18V-52 GC



DeWalt DW520* **DeWalt** DCS520*



Festool TS 55 RQ FESTOOL Festool TS 55 REBQ Festool TSC 55 Li REBI* Festool TS 75 EBQ



Mafell MT 55 cc Mafell MT 55 18 M bl



Makita DSP600ZJ* / DSP601ZJU*



metabo Metabo KS 55 Metabo KT 18 LTX 66 BL



...and more...






Triton 1400W

KAPPTUL

Precision adjusting the angle



If necessary, the angle can be easily readjusted by loosen one screw. (+/- 2°)

Precision

adjusting the splinter guard and angle stop plate



90° angle stop plate

During the first cut with your KAPPTUL guide rail the saw blade will **trim** the **splinter guard** as well as the **90° angle stop plate** to adjust the guide rail to your saw.

